

FACT SHEET

Self-Harm Among Criminalized Women



This fact sheet examines the issue of self-harm among criminalized^a women^b in Canada. It was prepared by Dr. Colleen Anne Dell, Senior Research Associate, Canadian Centre on Substance Abuse (CCSA), and Tara Beauchamp, Research Assistant. It was reviewed by Dr. Cathy Fillmore and members of the Manitoba Intersectoral Committee on Self-harm.

Defining Self-Harm

- There is no single definition of self-harm. Terms used interchangeably with self-harm include self-injury, self-defeating coping strategies, self-damaging behaviours, self-mutilation and self-abuse.
- Traditional definitions of self-harm focus on physical injuries such as cutting and slashing the skin. Recent research has challenged this, and has included any behaviour, be it physical, emotional, social or spiritual, that a woman commits with the intention of causing herself harm. This ranges from physical injury to self-destructive behaviours, including substance abuse and sexual risk taking¹.

Reasons for Self-Harm

- Research suggests that women who self-harm have frequently experienced family disruption and trauma in their lives. This includes, but is not limited to, family alcoholism/drug abuse, dysfunctional family relationships, parental death, financial instability and partner violence.² The onset of self-harm typically occurs in adolescence and is often linked with childhood abuse and violence (including, emotional, physical and sexual abuse, neglect and bullying).³
- For incarcerated women, the “pains of imprisonment” are a major contributing factor to self-harm. This includes the fear of loss of child custody, negative relations with staff and other prisoners, confinement in segregation, stressful living conditions, and rigid and arbitrary rule enforcement.⁴

^a The term “criminalized women” refers to women whose behaviour has been criminally sanctioned by law (e.g., prison sentence). Race, class, gender and sexuality affect the process of criminalization in complex ways, causing marginalized groups to be more negatively impacted. In this fact sheet, the term “criminalized women” also refers to women who are at risk of criminalization (e.g., a woman shoplifting food for her family and is not apprehended). The term “criminalized women” has commonly replaced “women in conflict with the law”. For further discussion, see Balfour, G. & Comack, E. (eds.) (2006). *Criminalizing Women: Gender and (In)Justice in Neo-Liberal Times*. Halifax: Fernwood Publishing.

^b This fact sheet is specific to females, particularly adult women, although males also engage in self-harm. For males, it is reportedly different in nature and frequency. Studies suggest that males more typically direct their feelings of emotional pain and anger externally (e.g., violence and abuse of others) while females direct their harm internally.

- Material and social deprivations are common in the lives of criminalized women (e.g., housing, nutrition, child-care). A criminalized woman is typically young, a mother, poorly educated, unemployed or under-employed, single or involved in an unstable relationship, and a survivor of childhood and/or adult violence. A disproportionate number of criminalized women in Canada are Aboriginal.^c

Self-Harm as a Coping Mechanism

- Self-harm is generally identified as a coping and survival mechanism for dealing with emotional pain and distress, isolation and oppressive conditions in women’s lives, including violence.⁵ Although unhealthy, self-harm provides women with identifiable coping responses, including a sense of release/cleansing, a means to feel, a sense of control, and a way to communicate internal pain.⁶
- Substance abuse is identified as a form of self-harm. Research has shown that some women’s use of substances is in response to coping with chronic pain, gynecological difficulties, stress and depression. There is also a link to experiences of victimization.⁷ Research as well shows that substance abuse commonly occurs alongside physical forms of self-harm, such as cutting.
- Self-harm and addiction share similar characteristics, although the literature is not clear on whether self-harm is addictive. For example, alcohol use and self-inflicted cutting are both reported to provide a sense of relief, can be uncontrollable for individuals, and may have neurological aspects that lead to the release of certain chemicals in the brain.⁸ More research is needed.

Self-Harm is Not Suicide

- Current research disputes the common perception that self-harm and suicide attempts are the same. Research suggests that self-harm and suicide attempts have different intents, etiologies, bodily harms, frequency and methods.⁹ Suicidal acts are oriented toward ending pain and suffering through the ending of life, while self-harm is viewed as a method of coping.¹⁰ People who self-harm may still, however, be at risk of suicide.¹¹
- Some studies report higher rates of suicide after deliberate self-harm.¹² It is also important to recognize that self-harming behaviour may unintentionally result in death (e.g., drug overdose). Self-harm has been identified by some criminalized women as “an installment plan for suicide”.¹³ Further research is necessary to explore the relationship between self-harm and suicide.

Prevalence of Self-Harm

- It is difficult to estimate the prevalence of self-harm among criminalized women in either the community or in correctional institutions. Problems include (1) the lack of a universal definition of self-harm, which makes comparability across studies difficult; (2) the absence of systematic data collection methods; (3) the stigma and shame associated with self-harm prevents women from disclosing; and (4) it is often a behaviour that occurs in isolation.¹⁴
- In correctional institutions, women’s reluctance to disclose their self-harm is compounded by the fear of punitive responses, such as segregation, as well as being assigned a higher risk assessment score, which may result in their being housed within a higher security level.¹⁵ Research has also suggested that self-harm is more common in correctional institutions than

^c In addition to the social structures that oppress women generally in Canada (e.g., class, sexual orientation), Aboriginal women face the devastating historical impact of colonial government policies and practices, such as residential schooling and the Indian Act.

in the general community.¹⁶ A 2000 report specific to incarcerated Aboriginal women in Canada found that the experiences of incarceration, especially segregation, led to increases in self-harming behaviours.¹⁷

- Some Canadian studies have attempted to define self-harm and identify the prevalence rate among specific research populations of criminalized women.
 - A 2005 study of agencies that work with adult women in correctional institutions identified an increase in four types of self-harm over the previous two years: physical injury, alcohol and drug abuse, sexual risk taking and involvement in destructive relationships.¹⁸
 - A 2001 qualitative study of criminalized women who self-harmed in prison and the community concluded that self-harming behaviours were common and widespread.¹⁹
 - A 1999 study of 26 patients admitted to the Intensive Healing Program at the Prairie Regional Psychiatric Centre in Saskatchewan found that 73% of women engaged in self-injurious behaviour prior to their admittance and 50% continued afterwards.²⁰
 - A 1989 study at the Kingston Prison for Women reported that at minimum 59% of the federally sentenced women interviewed had engaged in self-harm on their bodies, such as cutting.²¹

Peer Influence

- Research suggests that peer influence (in terms of a modelling or copy-cat effect) is a factor in women's and youth's self-harm, especially in institutional environments (e.g., correctional facility, residential substance abuse treatment program).²² However, in a recent study of community and residential service providers working with women and girls who self-harm, uncertainty was expressed over the role of peer influence, although it was noted that the impact of close living quarters could not be ignored.²³

Responding to Self-Harm

- The literature^d suggests the following recommendations for improving policy and practice concerning self-harm. Confusion, judgmental attitudes and inappropriate responses on the part of community and correctional service providers surround criminalized women's self-harm. This results in further stigmatization and decreases women's likelihood of seeking required medical and therapeutic attention.

Community Services

- Provide an integrated approach to care that offers criminalized women support, advocacy and access to a range of appropriate community resources (e.g., shelters, transportation, Elders). This is particularly important for women with multiple vulnerabilities.
- Increase health care services for Aboriginal women. This requires attention to developing and utilizing existing appropriate culturally-specific healing approaches, programs, supports and services (e.g., sweat lodges, full moon ceremonies, sun dances). These interventions need to be designed, developed, implemented and evaluated by Aboriginal women.²⁴
- Establish a referral system between professionals, including medical and psychiatric practitioners, and community service providers for out-patient care and follow-up. This is especially important for women leaving correctional facilities and hospitals.
- Offer crisis intervention services (e.g., mobile crisis unit).

^d Not all literature drawn on is specific to criminalized women, but it is applicable.

Education

- Improve public understanding about self-harm as a serious health issue to decrease the negative effects of stigma in women's lives (e.g., not accessing treatment).²⁵ This includes educating women who themselves self-harm.
- Increase educational opportunities and training on self-harm for community service providers, hospital personnel, and correctional staff.²⁶ Particular attention should be paid to debunking the myths that self-harm is strictly a form of manipulation or indicative of suicidal intention. Emphasis should also be placed on increasing understanding about the underlying issues associated with self-harm.

Policy

- Do not respond to self-harm with a suicide intervention policy/protocol because suicide and self-harm are different.
- Develop policy and guidelines that focus on the underlying causes of self-harm rather than the behaviour(s). The Addictions Foundation of Manitoba has such a policy in development.
- Provide opportunities for service providers to learn about their agency's self-harm policy, guidelines or common practices.
- Adopt a women-centred policy in correctional facilities that would not "isolate[e] women during [a] crisis and would strive to recognize the voices of the individual women to secure a more individualized approach to 'intervention' ".²⁷ Once again, the need for a culturally-sensitive response is necessary, particularly for Aboriginal women who are disproportionately represented in Canada's correctional system.

Research

- Design and conduct studies that examine the prevalence of self-harm among criminalized women, and women and girls generally. Both qualitative and quantitative studies need to focus on the extent and forms of self-harm in both the community and institutional settings.
- Conduct research that evaluates self-harm treatment and healing approaches, interventions, programs, supports, policies and services.
- Pay particular attention in research studies to the role of trauma and violence in the lives of criminalized women, as well as its specific role for women in the sex trade.

Treatment

- Recognize potential negative consequences for women when they access treatment (e.g., custody issues, lack of child care support, job loss, anger from spouse, loss of friends).²⁸
- Adopt multi-disciplinary therapeutic approaches that identify self-harm as a sign of emotional distress and contextualize the client as a trauma survivor.
- Employ women-centred therapies that recognize the connections between women's experiences of marginalization and disenfranchisement (e.g., poverty, abuse, sexism, history of colonialism/colonization and racism) and how these relate to women's criminalization and self-harm. The empowerment of women is central.
- Increase women's access to holistic and alternative programming and resources, such as art mentorship projects in correctional institutions and the community. Research suggests that art projects can serve as an alternative means of communication, a form of empowerment and as a positive coping mechanism for women who self-harm.²⁹ There is considerable empirical support for the benefits of the creative arts for personal healing in correctional facilities,

including women prisoners who self-harm.³⁰ Peer support programs have also been identified as viable healing approaches, including in the prison atmosphere.³¹

Non-punitive responses

- Promote acceptance, understanding, compassion, care and respect among service providers for criminalized women who self-harm. These are necessary qualities for effective staff-patient relationships.³²
- Avoid punitive responses in an attempt to control self-harm (e.g., requiring clients to enter into rigid contracts, using physical restraints, withholding privileges, placement in segregation). Responding in ways that are “intrusive, dehumanizing and infantilizing” replicates the stigmatization, marginalization and disempowerment the women already face, and adds to their emotional distress.³³
- Identify individualized triggers and healthy coping strategies (e.g., tension release exercises, participation in a hobby) for criminalized women who self-harm.³⁴
- Explore a harm-reduction approach to self-harm. Research has shown that completely removing a women’s means of coping may result in more serious forms of harm.³⁵ For example, a pilot study at St. George’s Hospital in Stafford, UK has shown that allowing patients to keep their blades to physically harm themselves, in the context of a care plan, can reduce a patient’s dependence.³⁶ Harm reduction strategies can include a range of possibilities, such as the use of clean cutting instruments, minimizing substance use, proper care of wounds, and adopting alternative and healthier coping strategies.
- Ensure the judicious use of medications. Some research suggests that the use of drug treatments does not have any direct effect on the tendency to self-harm,³⁷ while others maintain that they may in fact produce untoward outcomes, such as “feelings of unreality, confusion and inability to cope”, which in turn leads to more self-harming behaviours.³⁸

Endnotes

¹ **Adams, J., Rodham, K. & Gavin, J.** (2005). “Investigating the ‘self’ in deliberate self-harm”. *Qualitative Health Research*. 15(10):1293-1309; **Fillmore, C. & Dell, C.** (2001). *Prairie Women, Violence and Self-harm*. Winnipeg: Elizabeth Fry Society of Manitoba; **Huntington, A.** (2001). “Childhood maltreatment and adult self-injury: A woman’s account”. *Practice (UK)*. 13(2):31-42; **S.A.F.E. (Self Abuse Finally Ends)**. (Accessed May 30, 2006). <http://www.safeincanada.ca/>

² **Fillmore, C. & Dell, C.** (2005). *Community Mobilization for Women and Girls Who Self-Harm: An Environmental Scan of Manitoba Service Providers*. Winnipeg: Elizabeth Fry Society of Manitoba; **Gladstone, G., Parker, G., Mitchell, P., Malhi, G., Wilhelm, K. & Austin, M.** (2004). “Implications of childhood trauma for depressed women: An analysis of pathways from childhood sexual abuse to deliberate self-harm and revictimization”. *American Journal of Psychiatry*. 161(8):1417-1425; **Abrams, L. & Gordon, A.** (2003). “Self-harm narratives of urban and suburban young women”. *AFFILIA*. 18(4):429-444; **Ellis, R.** (2003). A Feminist Qualitative Study of Female Self-Mutilation. Thesis submitted to the Virginia Polytechnic Institute and State University; **Turell & Armsworth** (2003). “A log-linear analysis of variables associated with self-mutilation behaviours of women with histories of sexual abuse”. *Violence Against Women*. 9(4):487-512; **Shaw, S.** (2002). “Shifting conversations on girls’ and women’s self-injury: An analysis of the clinical literature in historical context”. *Feminism and Psychology*. 12(2):191-219; **Wichmann, C., Serin, R. & Abracen, J.** (2002). *Women Offenders Who Engage in Self-harm: A Comparative Investigation*. Ottawa: Correctional Service Canada.

³ **Borrill, J., Snow, L., Medicott, D., Teers, R. & Paton, J.** (2005). “Learning from ‘near misses’: Interviews with women who survived an incident of severe self-harm in prison”. *The Howard Journal*. 44(1):57-69; **Laye-Gindhu, A. & Schonert-Reichl, K.** (2005). “Non-suicidal self-harm among community adolescents: Understanding the ‘whats’ and ‘whys’ of self-harm”. *Journal of Youth and Adolescence*. 34(5):447-457; **Gladstone, G., Parker, G., Mitchell, P., Malhi, G., Wilhelm, K. & Austin, M.** (2004); **Mazelis, R.** (2003). *Understanding and Responding to Women Living with Self-Inflicted Violence*. Women, Co-occurring Disorders

and Violence Study. (Accessed February, 2006) <http://www.prainc.com/wcdvs/publications/default.asp>; **Noll, J.G., Horowitz, L.A., Bonanno, G.A., Trickett, P.K. & Putnam, F.W.** (2003). "Revictimization and self-harm in females who experienced childhood sexual abuse: Results from a prospective study". *Journal of Interpersonal Violence*. 18(12): 1452-1471; **Turell & Armsworth** (2003); **Shaw, S.** (2002); **Fillmore, C. & Dell, C.** (2001); **Vanderhoff, H. & Jay Lynn, S.** (2001). "Assessment of self-mutilation: Issues and considerations". *Journal of Threat Assessment*. 1(1): 91; **Harris, J.** (2000). "Self-harm: Cutting the bad out of me". *Qualitative Health Research*. 10(2):164-173; **Wegscheider Hyman, J.** (1999). *Women Living with Self-injury*. Pennsylvania: Temple University Press; **Smith, G., Cox, D. & Saradjian, J.** (1998). *Women and Self-Harm*. New York: Routledge; **Babiker, G. & Arnold, L.** (1997). *The Language of Injury*. Leicester: British Psychological Study; **VanderKolk, B., Perry, C. & Herman, J.** (1991). "Childhood origins of self-destructive behaviour". *American Journal of Psychiatry*. 128(12):1665-1671.

⁴ **Kilty, J.** (2006). "Under the barred umbrella: Is there room for a women-centred self-injury policy in Canadian corrections?". *Criminology & Public Policy*. 5(1):161-182; **Dear, G., Thomson, D., Hall, G. & Howells, K.** (2001). "Non-fatal self-harm in western Australia prisons: Who where when and why". *Australian and New Zealand Journal of Criminology*. 34(1):47-66; **Fillmore, C. & Dell, C.** (2001); **Boritch, H.** (2000). "Women in prison in Canada" (309-28). In B. Schissel and C. Brooks (eds), *Marginality and Condemnation*. Halifax: Fernwood; **Martell** (1999). *Solitude and Cold Storage. Women's Journeys of Endurance and Segregation*. Alberta: Elizabeth Fry Society of Edmonton; **Arbour, L.** (1996). *Commission of Inquiry into Certain Events at the Prison for Women in Kingston (Canada)*. Ottawa: Public Works and Government Services Canada; **Faith, K.** (1993). *Unruly Women. The Politics of Confinement and Resistance*. Vancouver: Press Gang Publishers.

⁵ **Adams, J., Rodham, K. & Gavin, J.** (2005); **Fillmore, C. & Dell, C.** (2005); **Laye-Gindhu, A. & Schonert-Reichl, K.A.** (2005); **Groves, A.** (2004). "Blood on the walls: Self-mutilation in prisons". *Australian and New Zealand Journal of Criminology*. 37(1): 49-64. **Abrams, L.S. & Gordon, A.L.** (2003); **Borrill, J., Burnett, R., Atkins, R., Miller, S., Briggs, D., Weaver, T. & Maden, A.** (2003); **Ellis, R.** (2003); **Harris, J.** (2000); **Wegscheider Hyman, J.** (1999). *Women Living with Self-injury*. Pennsylvania: Temple University Press; **McCreary Centre Society** (2006). *Self-harm: Pain from the inside out*. Canadian Health Network . (Accessed April 2006 <http://www.canadian-health-network.ca/servlet/ContentServer?cid=1140963343074&pagename=CHN-RCS/CHNResource/CHNResourcePageTemplate&c=CHNResource>

⁶ **Adams, J., Rodham, K. & Gavin, J.** (2005); **Borrill, J., Snow, L., Medicott, D., Teers, R. & Paton, J.** (2005); **Abrams, L. & Gordon, A.** (2003); **Ellis, R.** (2003); **Noll, J., Horowitz, L., Bonanno, G., Trickett, P. & Putnam, F.** (2003); **Shaw, S.** (2002); **Snow, L.** (2002). "Prisoners' motives for self-injury and attempted suicide". *British Journal of Forensic Practice*. 4(4):18-29; **Harris, J.** (2000); **Wegscheider Hyman, J.** (1999).

⁷ **Ullman, S. & Brecklin, L.** (2003). "Sexual assault history and health-related outcomes in a national sample of women". *Psychology of Women Quarterly*. 27(1):46-57.

⁸ **Conterio, K. & Lader, W.** (1998). *Bodily Harm. The Breakthrough Healing Program for Self-Injurers*. New York: Hyperion.

⁹ **Fillmore, C. & Dell, C.** (2005); **Paul, T., Schroeter, K., Dahme, B. & Nutzinger, D.** (2002). "Self-Injurious behaviour in women with eating disorders". *American Journal of Psychiatry*. March. (Accessed April, 2006). <http://proquest.uni.com/padweb?Did=000000110379707&Fmt=3&Deli=1&Mtd=1&Idx=06/13/2002>; **Shaw, S.** (2002); **Snow, L.** (2002); **Wichmann, C., Serin, R. & Abracen, J.** (2002); **Vanderhoff, H. & Jay Lynn, S.** (2001); **Harris, J.** (2000).

¹⁰ **Borrill, J., Snow, L., Medicott, D., Teers, R. & Paton, J.** (2005); **Fillmore, C. & Dell, C.** (2001); **Vanderhoff, H. & Jay Lynn, S.** (2001); **Burstow** (1992). *Radical Feminist Therapy*. Newbury Park: SAGE.

¹¹ **McCreary Centre Society** (2006).

¹² **Department of Health** (2004). *NICE Guidelines to Self-Harm*. London: Department of Health; **Hawton K., Arensman, E., Townsend, E., Bremner, E., Feldman, E., Goldney, R., Gunnell, D., Hazell, P., van Heeringen, K., House, A., Owens, D., Sakinofsky, I. & Traskman-Bendz, L.** (1998). "Deliberate self harm: Systematic review of the efficacy of psychosocial and pharmacological treatments in preventing repetition". *British Medical Journal*. 317:441-447.

¹³ **Elizabeth Fry Society of Manitoba** (2006). *Record of the Manitoba Community Service Provider Roundtable on Women, Girls and Self-Harm*. Winnipeg: Elizabeth Fry Society of Manitoba.

¹⁴ **Don, L.** (2005). "Making plans for Nigella. The cases for and against harm reduction". *Drugs and Alcohol Today*. 5(1):17-22; **Mazelis, R.** (2003); **Shaw, S.** (2002); **Hawton K., Arensman, E., Townsend, E., Bremner, E., Feldman, E., Goldney, R., Gunnell, D., Hazell, P., van Heeringen, K., House, A., Owens, D., Sakinofsky, I. & Traskman-Bendz, L.** (1998); **Babiker, G. & Arnold, L.** (1997).

-
- ¹⁵ **Kilty, J.** (2006); **CAEFS (Canadian Association of Elizabeth Fry Societies)** (2003). *Submission of the Canadian Association of Elizabeth Fry Societies (CAEFS) to the Canadian Human Rights Commission for the Special Report on the Discrimination on the Basis of Sex, Race and Disability Faced by Federally Sentenced Women.* (Accessed March, 2006). <http://www.elizabethfry.ca/submissn/specialr/4.htm>; **Borrill, J., Burnett, R., Atkins, R., Miller, S., Briggs, D., Weaver, T. & Maden, A.** (2003); **Fillmore, C. & Dell, C.** (2001); **Martel, J.** (1999); **Faith, K.** (1993).
- ¹⁶ **Borrill, J., Snow, L., Medicott, D., Teers, R. & Paton, J.** (2005); **Groves, A.** (2004); **Livingston, M.** (1996). A review of the literature on self-injurious behaviour amongst prisoners. (pp 21-35). In G.J. Towl (Ed.). *Suicide and Self Injury in Prisons.* Leicester: The British Psychological Society. No. 28.
- ¹⁷ **Shaw, M.** (2000). "Women, violence, and disorder in prison". (pp. 61-70). In K. Hannah-Moffat and M. Shaw (eds.). *An Ideal prison? Critical essays on Women's Imprisonment in Canada.* Halifax: Fernwood Publishing.
- ¹⁸ **Fillmore, C. & Dell, C.** (2005).
- ¹⁹ **Fillmore, C. & Dell, C.** (2001).
- ²⁰ **Presse, L. & Hart, R.** (1999). "Variables associated with para-suicidal behaviours by female offenders during a cognitive-behavioural treatment program". *Canadian Psychology.* 40:2a.
- ²¹ **Correctional Service Canada** (1990). "Reduction of self-injury: A mental health priority". Ottawa: Forum on Corrections Research. 2(3).
- ²² **Heney, J.** (1990). *Report of Self-injurious Behaviour in Kingston Prison for Women.* Ottawa: Correctional Service Canada.
- ²³ **Fillmore, C. & Dell, C.** (2005).
- ²⁴ **Monture-Angus** (2002). *The Lived Experience of Discrimination: Aboriginal Women who are Federally Sentenced.* (Accessed April, 2006). <http://www.elizabethfry.ca/submissn/aborigin/1.htm>; **Aboriginal Justice Inquiry of Manitoba** (1991). "Aboriginal Women". *Report of the Aboriginal Justice Inquiry of Manitoba.* Winnipeg: Queen's Printer.
- ²⁵ **Sinclair, J. & Green, J.** (2005). "Understanding resolution of deliberate self-harm: Qualitative interview study of patients' experiences". *British Medical Journal.* 330:1112; **Elizabeth Fry Society of Manitoba** (2006).
- ²⁶ **Borrill, J., Snow, L., Medicott, D., Teers, R. & Paton, J.** (2005); **Fillmore, C. & Dell, C.** (2005); **House, A., Owens, D. & Patchett, L.** (1999). "Deliberate self-harm." *Quality in Health Care.* 8:137-143; **Babiker, G. & Arnold, L.** (1997).
- ²⁷ **Kilty, J.** (2006).
- ²⁸ **Boyd, S.** (2004). *From Witches to Crack Moms: Women, Drug Law, and Policy.* Durham: Carolina Academic Press; **Greaves, L.** (2002). *A Motherhood Issue: Discourses on Mothering Under Duress.* Ottawa: Status of Women Canada; **Stein, J., Burden, M. & Nyamathi, A.** (2002). "Relative contributions of parent substance use and childhood maltreatment to chronic homeless women: Mediating roles of self-esteem and abuse in adulthood". *Child Abuse and Neglect.* 26(10):1011-1027; **Roberts, G. & Ogborne, A.** (1999). *Best Practices. Substance Abuse Treatment and Rehabilitation.* Ottawa: Health Canada.
- ²⁹ **Regier, E.** (2005). *Submission to the Consultation on a New Women's Correctional Facility.* Crossing Communities Art Project. March 11; **Abrams, L.S. & Gordon, A.L.** (2003).
- ³⁰ **People's Palace Projects** (2003). Peoples Palace Productions. (Accessed June, 2006). http://www.peoplespalace.org.br/default_en.asp
- ³¹ **Syed, F. & Blanchette, K.** (2000). *Results of an Evaluation of the Peer Support Program at Joliette Institution for Women.* Ottawa: Correctional Service Canada.
- ³² **Borrill, J., Snow, L., Medicott, D., Teers, R. & Paton, J.** (2005); **Fillmore, C. & Dell, C.** (2005); **Harris, J.** (2000); **Babiker, G. & Arnold, L.** (1997).
- ³³ **Fillmore, C.J. & Dell, C.A.** (2005); **Mazelis, R.** (2003); **Shaw, S.N.** (2002); **Fillmore, C. & Dell, C.** (2001); **Babiker, G. & Arnold, L.** (1997); **Huntington, A.; Elliot, L. & Morris, R.** (1987). Behind Prison Doors. (pp. 145-162) In E. Adelberg and C. Currie (Eds.). *Too Few to Count. Canadian Women in Conflict with the Law.* Vancouver: Press Gang Publishers.
- ³⁴ **Fillmore, C. and Dell, C.** (2001).
- ³⁵ **Babiker, G. & Arnold, L.** (1997).
- ³⁶ **Triggle, N.** (April 25, 2006). "Nurses back supervised self-harm". BBC News.
- ³⁷ **Babiker, G. & Arnold, L.** (1997).
- ³⁸ **Sly, A. & Taylor, K.** (2003). *Preliminary Evaluation of Dialectical Behaviour Therapy Within a Women's Structured Living Environment.* Ottawa: Correctional Service Canada.

CCSA is Canada's national addictions agency. Established by an Act of Parliament in 1988, the Centre provides objective, evidence-based information and advice aimed at reducing the health, social and economic harm associated with substance abuse and addictions. CCSA activities and products are made possible through a financial contribution from Health Canada through Canada's Drug Strategy. The views expressed by CCSA do not necessarily reflect the views of Health Canada.

For further information, please write:

Canadian Centre on Substance Abuse
Suite 300, 75 Albert St., Ottawa, ON K1P 5E7
Tel.: (613) 235-4048; fax (613) 235-8101. Visit our website at www.ccsa.ca



ISBN 1-897321-17-1 (online)

Copyright © 2006—Canadian Centre on Substance Abuse. All rights reserved.